

# ● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>09/718,991</u>	Examiner : <u>Thomas D. Lee</u>	GAU : <u>2624</u>
From : <u>MR</u>	Location : <u>IDC</u> FMF FDC	Date : <u>07/19/05</u>
Tracking # : <u>EPM 09718 991</u>		Week Date : <u>07/18/2005</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input checked="" type="checkbox"/> SPEC	<u>11-22-04</u>	

[RUSH] MESSAGE: Please advise as to the correct location to add amendment to specification dated 11-22-04.

Thank you,  
MR

[XRUSH] RESPONSE: Amendment is to be inserted between the last two paragraphs of the specification (p. 30, line 20), as authorized by attorney (note Examiner's Amendment).

INITIALS: TDL

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.  
REV 10/04